


ISADORA LB-50



POMEMBNO

PRED NADALJEVANJEM PREBERITE.


IZDELEK, KI STE GA KUPILI, VAM BO SLUŽIL DOLGA LETA, ČE BOSTE UPOŠTEVALI NAVODILA ZA VARNO NAMESTITEV TER REDNO VZDRŽEVANJE IN ČIŠČENJE.

ZA SESTAVLJANJE TEGA IZDELKA NIKAKOR NE UPORABLJAJTE ELEKTRIČNEGA ORODJA. UPORABA ORODJA BO ONEMOGOČILA KAKRŠNE KOLI REKLAMACIJE IN LAHKO POVZROČI, DA BO IZDELEK NEVAREN.


GLEDE NA INTENZIVNOST UPORABE TEGA IZDELKA BO MORDA TREBA OBČASNO ZATEGNITI PRITRDLNE ELEMENTE. TO JE OBIČAJNO PRI VSAKEM POHIŠTVU, PRIPRAVLJENEM ZA MONTAŽO.

ZA ČIŠČENJE UPORABLJAJTE VLAŽNO KRPO (NE MOKRO). SUH SESALEC ZA PRAH IN OBIČAJNO LOŠČILO ZA POHIŠTVO.


UPORABA ELEKTRIČNEGA ORODJA PRI SESTAVLJANJU TEGA IZDELKA BO IZNIČILA KAKRŠNE KOLI REKLAMACIJE IN LAHKO IZDELEK POŠKODUJE, ZARADI ČESAR BO POSTAL NEVAREN.




A		M8* 20 VIJAK	12x
B		FLEKSIBILNA PODLOGA	8x
C		PODLOGA ZA POVRŠINO	20x
D		SPLOŠNI KLJUČ	1x
E		M8*30 VIJAK	12x




(1)x1x



(2)x1x



(3)x2x



(4)x1x



(5)x2x



(6)x4x



(7)x34x







(8)x17x



(9)x17x

UPORABA ELEKTRIČNEGA ORODJA PRI SESTAVLJANJU TEGA IZDELKA BO IZNIČILA KAKRŠNE KOLI REKLAMACIJE IN LAHKO IZDELEK POŠKODUJE, ZARADI ČESAR BO POSTAL NEVAREN.





4

Diagram 4 shows a detail of the vertical support assembly. It includes a vertical post (5) with a horizontal plate (6) at the top. A spring (A) is attached to the plate. A curved arm (D) is also attached. A component (C) is shown in a separate view. The assembly is mounted on a base (4).

