











DELIS

Typ K   90 min







Element symbol	Measurements	Code	Paket	Element symbol	Measurements	Code	Paket
1	361 65 16 1	1001	2/4	16	350.5 140 16 1	1038	2/4
2	1250 65 16 2	1002	1/4	17	385.5 355 3 1	N/A	1/4
3	361 65 16 1	1003	2/4	18	850 556.5 3 2	N/A	3/4
4	1582 400 16 1	1005	1/4	19	457 556.5 3 2	N/A	3/4
5	1582 400 16 1	1006	1/4	20	1307 224 3 1	1011	1/4
6	1293 398 16 1	1007	2/4	21	1307 224 3 1	N/A	1/4
7	1293 398 16 1	1008	2/4	22	552 447 16 1	3001	3/4
8	1293 361 16 1	1009	2/4	23	552 447 16 1	3002	3/4
9	1293 361 16 1	1010	2/4	24	447 182 16 1	3003	3/4
10	541.5 351 16 2	1011	1/4	25	864 547 16 1	3004	3/4
11	433 360.5 16 1	1012	2/4	26	547 122 16 1	3005	3/4
12	541 350 16 4	N/A	1/4	27	864 547 16 1	3006	3/4
13	433 350 16 2	N/A	1/4	28	547 122 16 1	3007	3/4
14	350.5 140 16 1	1036	2/4	29	536 370 4 2	GLASS	4/4
15	375.5 121 16 1	1037	2/4				








2








3




4


4






5




6

















9










10












15



16

